## Staff Report

**Department of Planning** 

# Spring 2021 Amendment Carroll County Water and Sewer Master Plan

Re: Freedom Water Service Areas

This request will amend the 2019 Carroll County Water and Sewer Master Plan. The request detailed below, pertain to changes to the Projected Water Supply Demands and Projected Capacity table (15), and the Freedom Water Service Area map (12).

### Request

1. Update the Freedom Water Service Area map (12), moving three (A, B, C) properties from Future Service to Priority Service as requested in the submitted application to Annex into the Town of Sykesville.

### **Background Information**

**Property "A",** Sykesville Development LLC, is zoned Conservation and is split by the Municipal limits. This property has the potential of 5 lots based on BLI, with three of these lots considered in the Existing Service area and the remaining two lots in the Future Service area. **Property "B"** is split by the municipal limits and split zoned. The portion of the property within the Town limits is zoned R-10,000, with the portion in the County zoned Conservation. This property has the potential of 10 new lots based on BLI, all within the Existing Service area. **Property "C"** is in the County and zoned Conservation, being a lot of record, the property is entitled to one residential unit, and is currently in the Future Service area.

The 5 new lots and one housing unit that are in the Sykesville MGA are based on Conservation zoning. Conservation zoning is not the preferred zoning for water and/or sewer service categories and as such the Carroll County Department of Planning is evaluating all sewer service areas for this zoning district and recommending their removal from a service category with the next triennial update.

### **Agency Comments**

The Department of Planning has heard back from three different stakeholders and none of them have had any comment regarding this amendment.


### Staff Analysis


Properties "A", "B", and "C" have the potential of 16 new residential units, with the estimated demand totaling 4,000 gpd. Of this demand 3,250 gpd (13 units) is accounted for in Priority Planning as the BLI is based on the portion of the parcels within the Existing Service area. The final 750 gpd (3 units) is accounted for in Future Planning. The request will add the 750 gpd to Priority Planning demand projections.

As stated in the background information, even though this is consistent with 2014 Carroll County Master Plan, Amended 2019, the 2018 Freedom Community Comprehensive Plan and the Approved Water and Sewer Master Plan, development on water and sewer in Conservation Zoning is not the highest and best use of this utility and should be reserved in the future for more intense residential districts and commercial and industrial districts.

### **Planning Commission Certification**

The Carroll County Planning Commission approved and certified this amendment request as consistent with the 2014 Carroll County Master Plan, Amended 2019 and the 2018 Freedom Community Comprehensive Plan during their April 20, 2021 meeting, noting the above future course correction for the County's water and sewer policy. The Planning Commission forwards a favorable recommendation to the Board of County Commissioners for Adoption.





### Projected Water Supply Demands and Projected Capacity

The following table summarizes projected water demand over the next ten years. It incorporates planned capacity improvements that respond to the demand projections.

	<u>Table 15</u> <sup>2</sup> Projected Water Supply Demands and Planned Capacity																	
		Prese	nt Year	Priority Planning (0-6 Year)						Future Planning (7-10 Year)								
	Res.	Capacity G Million Gal. Daily (MGD)					Res.	G Million Gal. Daily (MGD)				Res.	G P	Capacity Million Gal. Daily (MGD)				
Service Area	Pop. Ser.	C D	Res. Dem.	Oth. Dem.	Tot. Dem	Ex. Cap.	Pop. Ser.	C D	Res. Dem.	Oth. Dem	Tot. Dem.	Pl. Cap.	Pop. Ser.	C D	Res. Dem.	Oth. Dem.	Tot. Dem.	Pl. Cap.
Freedom/Sykesville	22,867	80	1.837	0.097	1.934	4.427	31,775	85	2.711	0.499	3.21	4.427	31,199	<mark>86</mark>	2.73	0.514	3.244	<mark>7.0</mark>